

COBA
europe



MORE THAN JUST
MATTING



You can trust COBA Europe to find an effective floor matting option to suit your environment, whether it's an oily factory floor, or a luxury hotel.

Our knowledgeable sales teams in offices throughout Europe are trained to help you make the right decision. We provide free product samples and conduct site surveys, and also offer an excellent after sales service.

COBA Europe's fully stocked distribution centres give us exceptional logistical reach, and enable us to efficiently supply customers throughout Europe, the Middle East and Africa.



'More than Just Matting', we also have a range of products that includes safety knives, rubber sheeting and strip curtains.

We look forward to providing your matting solution.

Richard Cooke
Managing Director

United Kingdom

+44 (0)116 240 1088
sales@cobaeeurope.com
www.cobaeeurope.com

Germany

+49 (2161) 2945-0
verkauf@cobaeeurope.de
www.cobaeeurope.de

Slovakia

+421 41 507 11 12
sales@cobaeeurope.sk
www.cobaeeurope.sk

Poland

+48 (12) 446 92 30
sales@cobaeeurope.pl
www.cobaeeurope.pl

France

+33 (0) 645 309 278
sales@cobaeeurope.fr
www.tapisindustriel.fr

South Africa

+27 (0)11 452 7961
sales@matco.co.za
www.matting.co.za

Contents

Workplace Matting	03
Europe's most comprehensive range of anti-fatigue and non-slip safety matting.	
Rubber Sheeting	20
A wide range of multi-purpose rubber sheet in numerous thicknesses and specifications.	
ESD Mats & Equipment	22
Electrostatic dissipative matting and accessories.	
Floor Level Safety Accessories	26
Non-slip floor tape for stair safety, line marking tape for warehouse floors and line marking paint including survey and temporary.	
Flooring	30
GRP is the ultimate non-slip surface for public stairs and walkways. We also have a range of rubber and PVC floor coverings.	
Entrance Matting Systems	34
A range of durable matting systems for busy entrance areas, such as retail, schools, hospitals, terminals.	
Entrance Mats	42
Internal and external entrance doormats for every environment.	
Mats for Leisure	49
Anti-slip matting for the leisure industry.	



Workplace Matting

Improving standing comfort and safety

For decades, COBA Europe has been a market leader in workplace safety matting, and today we offer one of the most comprehensive ranges for all types of working environments, from industrial to catering and retail. Whether it is to reduce slipping or provide fatigue relief from standing, we have a solution to suit a wide variety of budgets and needs.

Standing Fatigue in the Workplace What is a Musculoskeletal Disorder?

MSDs are conditions affecting the muscles, tendons, ligaments, nerves or other soft tissues. They characteristically creep on over a period of time, starting with mild discomfort which can then accelerate into acute pain. Repetitive work and prolonged standing can affect many parts of the body but most frequently is associated with Lower Limb MSDs.

When we stand our circulatory system is put under pressure, in particular the Venous System, which is responsible for moving blood throughout the body via our veins. Standing makes our heart work harder. It subjects increased pressure on the walls of our veins, and the intensity increases when we stand still in a static position.

Risks associated with prolonged standing... include damaged joints, swelling of the legs, foot problems such as bunions, corns, Achilles Tendonitis and other orthopaedic conditions. Standing in static positions can cause blood to pool in the feet. Varicose Veins and similar venous disorders are other dangers. Back, hip and neck pain are also common. Regular prolonged standing in a static position can slowly diminish elasticity in the soft tissues and this degenerative damage can lead to rheumatic diseases.

Anti-Fatigue Matting can help...by encouraging regular foot movement (even in static positions) as the feet subtly adapt to the mat's cushioned surface, promoting healthier circulation. This movement, although subtle, forces the foot and calf muscles to expand and contract, which activates the Venous Pump, pushing blood back up to the heart against the force of gravity.

Scientific Research

**Department of Human Sciences at
Loughborough University**

The study tested 14 people in laboratory conditions comparing standing on anti-fatigue mats with standing directly on a concrete surface.

Subjective results showed statistically significant benefits to users of anti-fatigue mats when compared to standing on a concrete floor, especially to the lower and upper legs, and lower back areas. The comfort comparisons between the 'mat' and 'no mat' conditions after 90 minutes were significant with benefits experienced to both thermal and postural comfort.



Market Research

In June 2015 COBA Europe conducted market research into the effects of standing in the workplace. Of those who had invested in anti-fatigue matting as a solution, 75% found anti-fatigue matting to have had a positive effect on the well-being of staff; 54% found anti-fatigue matting had helped to reduce pain or serious health complaints of staff; and 44% considered anti-fatigue matting to have a positive effect on increasing productivity in their company. Some 23% confirmed that absenteeism had been reduced as a result of anti-fatigue floor matting.

European Statistics

Over 40 million workers in Europe are affected by MSDs attributable to their work. It is estimated that MSDs cost some 240 billion euros per year in lost productivity.

EU member states expect to see 50% of their population diagnosed with an MSD by 2030.

A European Survey on Working Conditions (ESWC) revealed that nearly 25% of workers in Europe suffered backache, over 20% experienced muscular pains, while nearly half of those surveyed complained of working in painful or tiring positions.

*Source: European Agency for Safety and Health at Work



Slips in the **WORKPLACE**



Taking slips seriously

Across Europe, slips in the workplace are a real concern. It's not just sprains and bruises. Slips all too frequently result in bone fractures or internal injuries of one sort or another. In the most extreme cases, slips can result in fatalities. Slipping is especially dangerous if the individual falls onto a sharp or moving object, falls from height or comes into contact with hot surfaces, or chemicals.

What are the causes?

Contaminants on floor surfaces are very often the culprit. This can be water, ice, oil, grease, chemical spillage, etc. It is not just spilt liquids that make floor surfaces dangerous. Swarf, powders and other dry debris can act like marbles on a floor surface. Uneven and poorly maintained floor surfaces can also cause both slips and trips.

What can be done?

Good house-keeping is essential and educating employees about risks is imperative. Ensuring that floors are regularly cleaned and maintained, so they are free of contaminants should help to reduce the risk of slipping significantly. There should be no trailing cables either. Floor safety should be evaluated frequently, with regular risk assessments. The Health & Safety Executive provides useful guidance for risk assessments and also offers a Slips Assessment Tool (SAT). Carefully consider any risks. Initiating preventative measures, such as the installation of anti-slip matting, flooring or coating can dramatically improve safety underfoot. Ensure the area is well lit.

Which sectors have the highest risks?

Healthcare & Social Care; Education; Food Retail; Food & Drink Manufacture; Catering & Hospitality; Manufacturing (General); Building & Plant Maintenance; Construction.

DID YOU KNOW THAT?

The Labour Force Survey reports that there were an estimated 622,000 self-reported non-fatal workplace injuries (Annual Average 2013/14 to 2015/16) of which 119,000 were attributed to slips and trips. *Source: Labour Force Survey/Health & Safety Executive.*









The Health & Safety Executive states that, according to RIDDOR, (Reporting of Injuries, Diseases and Dangerous Occurrences Regulations) almost 60% of specified injuries to employees are accounted for by slips, trips or falls, and falls from a height (2015-2016).

Source: RIDDOR/Health & Safety Executive

Slips and trips are one of the main causes of non-fatal accidents.

In total, an estimated 4.5 million working days were lost in 2015-2016 due to self-reported workplace injuries, on average 7.2 days per case. *(Source: Health & Safety Executive/Labour Force Survey)*

Workplace Matting Selector

	 Anti-Fatigue Rating	 Wear Rating	 Slip Rating	 Suitable for Wet Environments	 Suitable for Oily Environments	 Fire Tested	 Suitable for High Voltage Environments	 Static Dissipative	P.
Benchstat							✓	23
ESD Rubber Mats							24
COBAdot						19
Solid Vinyl						19
COBArib						18
HR Matting					✓	23
COBASwitch BS EN: 61111		✓		✓		18
COBASwitch				✓		18
COBASwitch VDE				✓		18
Orthomat® Lite/Standard			✓			6
Orthomat® Ribbed/Diamond/Dot			✓			7
COBAstat					✓	22
Bubblemat / Bubblemat Connect						15
Orthomat® Ultimate		✓	✓			8
Orthomat® Premium						8
Diamond Tread			✓			10
Fluted Anti-Fatigue						10
Marble Anti-Fatigue						10
Senso Dial						11
Senso Dial ESD					✓	22
Orthomat® Office						6
Deckplate / Deckplate Connect						9
COBAelite®			✓			11
Flexi-Deck	✓					17
COBAScrape	✓	✓				14
Work Deck	✓					17
Diamond Grid	✓					17
Unimat	✓					14
COBAmat®	✓	✓	✓			16
Workstation	✓	✓	✓			16
Comfort-Lok	✓	✓				15
Rampmat	✓					13
High-Duty	✓	✓				13
High-Duty Grit	✓	✓				13
K-Mat	✓	✓				14
Worksafe	✓					16
Solid Fatigue-Step	✓	✓				12
Fatigue-Step	✓					12
COBA deluxe	✓					16
Fatigue-Step Grit Top	✓	✓				12

Dry Environments

Wet & Dry Environments

Orthomat®

The original fatigue fighter

Our research and knowledge in the field of 'fatigue-relief' for standing occupations continues to drive the development of our Orthomat® range.

COBA Europe is regarded as one of the leading names in anti-fatigue matting, offering an unrivalled product choice. Our Orthomat® range has been specifically designed to reduce the onset of fatigue caused by prolonged standing. This durable, yet very comfortable matting is manufactured from 100% closed cell PVC foam, providing the right balance of underfoot cushioning and support, while encouraging healthy circulation. Browse our extensive selection of Orthomat® products to find the ideal anti-fatigue matting for your environment. Our Sales team is always happy to advise on the most suitable product.

Orthomat® Office

The new standard in standing at work

Carefully designed incorporating high-density foam to provide just the right balance between cushioning and foot support for users of standing desks. - Helps to delay the onset of pain and tiredness otherwise experienced from standing on hard or firm floor surfaces. - Features a textured underside and gentle bevelled edges to reduce trip hazards, while creating a neat 'anti-curl' finish that sits flush to the floor. - Made from Polyurethane, a resilient material renowned for its durability. Can withstand a wide range of footwear. - Handy size for ease of handling making lifting and moving an effortless task. - Product Height: 16mm



Size

0.5m x 0.8m

Black

OO010001

Orthomat® Lite

Ideal for light to medium use

Cost-effective anti-fatigue matting. - Offers the user relief from fatigue caused by standing. - Insulates against cold concrete floors. - Ideal for light to medium use in dry environments. - Pebble surface provides additional traction. - Product Height: 6mm



Sizes

	Black
0.9m x 36.5m x 6mm	CV010001
0.9m x 6mm x per linear metre	CV010001C
0.9m x 1.5m x 6mm	CV010002
0.9m x 2m x 6mm	CV010003
0.9m x 3m x 6mm	CV010004
0.9m x 1.82m x 6mm	CV010005
0.9m x 0.76m x 6mm	CV010006

Orthomat® Standard

The original fatigue fighter

Single layer foam anti-fatigue workplace mat with textured surface. - Ideal for light to medium use in dry environments. - Safety version available with bright yellow borders. - Insulates against cold concrete floors. - Product Height: 9mm



Sizes

	Black	Grey	Black/ Yellow
0.6m x 0.9m	AF010001	AF060001	AF010701
0.9m x 1.5m	AF010002	AF060002	AF010702
0.9m x 18.3m	AF010003	AF060003	AF010703
0.9m x per linear metre	AF010003C	AF060003C	AF010703C
1.2m x 18.3m	AF010005	-	AF010706
1.2m x per linear metre	AF010005C	-	AF010706C



Orthomat® Dot

Single layer foam anti-fatigue workplace mat with dot pattern surface. - Ideal for light to medium use in dry environments. - Safety version available with bright yellow borders. - Insulates against cold concrete floors. - Product Height: 9mm




Black/Yellow



Black

Sizes	Black	Black/Yellow
0.6m x 0.9m	AD010001	AD010701
0.9m x 1.5m	AD010002	AD010702
0.9m x 18.3m	AD010003	AD010703
0.9m x linear metre	AD010003C	AD010703C
1.2m x 18m	AD010005	AD010705
1.2m x linear metre	AD010005C	AD010705C



Orthomat® Ribbed

Single layer foam anti-fatigue workplace mat with ribbed surface. - Ideal for light to medium use in dry environments. - Safety version available with bright yellow borders. - Insulates against cold concrete floors. - Product Height: 9mm



Größen	Black	Grey	Grey/Yellow
0.6m x 0.9m	AL010001	AL060001	AL060701
0.9m x 1.5m	AL010002	AL060002	AL060702
0.6m x 18.3m	AL010004	AL060004	AL060704
0.6m x per linear metre	AL010004C	AL060004C	AL060704C
0.9m x 18.3m	AL010003	AL060003	AL060703
0.9m x per linear metre	AL010003C	AL060003C	AL060703C
1.2m x 18.3m	AL010006	AL060005	-
1.2m x per linear metre	AL010006C	AL060005C	-



Orthomat® Diamond

Single layer foam anti-fatigue workplace mat with checkerplate pattern surface. - Ideal for light to medium use in dry environments. - Safety version available with bright yellow borders. - Insulates against cold concrete floors. - Product Height: 9mm



Sizes	Black	Black/Yellow
0.6m x 0.9m	DAF010001	DAF010701
0.9m x 1.5m	DAF010002	DAF010702
0.9m x 18.3m	DAF010003	DAF010703
0.9m x linear metre	DAF010003C	DAF010703C
1.2m x 18m	DAF010005	DAF010705
1.2m x linear metre	DAF010005C	DAF010705C





Orthomat® Premium

The ultimate in durable anti-fatigue mats

Dual fused layer construction for superior comfort and durability. - Tough PVC foam textured top surface for excellent resilience against wear and tear. - Low density under layer provides extremely effective underfoot cushioning. - Exceptional fatigue-relief properties – a real investment for the workplace. - Ideal for demanding locations, especially where regular turning is involved. - Tapered edges to reduce trip hazards. - Range of colours available. - Product Height: 12.5mm



Sizes	Black	Blue	Green
0.6m x 0.9m	FF010001	-	-
0.9m x 1.5m	FF010002	-	-
0.9m x 18.3m	FF010003	FF020003	FF040003
0.9m x per linear metre	FF010003C	FF020003C	FF040003C
0.9m x 3.65m	FF010004	-	-
0.6m x 18.3m	FF010005	-	-
0.6m x per linear metre	FF010005C	-	-
1.2m x 18.3m	FF010006	-	FF040005
1.2m x per linear metre	FF010006C	-	-



Black



Blue



Green

Orthomat® Ultimate

Can be used in areas with oil, water or chemical spillage

Exclusive PolyNit outer layer encapsulates entire mat. - PolyNit seals unlike laminated products for outstanding durability. - Soft foam inner layer cushions impact from standing to delay fatigue. - High density composition gives essential underfoot support and shape recovery. - Neat, tapered edges are heat-sealed using specialist technology developed by COBA Europe. - Robust ramped edges limit trip hazard. - Textured surface traps dry debris or swarf. - Product Height: 10mm



Sizes	Black
0.6m x 0.9m	OU010001
0.9m x 1.5m	OU010002
0.9m x 18.3m	OU010003
0.9m x per linear metre (max. 18.3m)	OU010003C







Deckplate Connect

Interlocking tile version of our popular dual-layer mat

Interlocking tile version of our popular dual-layer mat - Interlocking tile modules designed to cover unusual or large floor areas. - Simply connect mats together in any configuration to create a seamless anti-fatigue surface. - Self-extinguishing top surface provides resilience to many industrial chemicals. - Comfortable foam 'cushion' backing for fatigue relief. - Ramped edges reduce the risk of trips. - Product Height: 14mm

Sizes

	Black
50cm x 50cm (Middle)	DP010008
50cm x 50cm (End)	DP010009
50cm x 50cm (Corner)	DP010010



Deckplate

Durable deckplate provides comfort and grip

Hardwearing PVC soil resistant diamond pattern surface. - Self-extinguishing top surface provides resilience to many industrial chemicals. - Comfortable foam 'cushion' backing for fatigue relief. - Available as Safety Deckplate with bright yellow borders. - Supplied with ramped edges. - Product Height: 14mm



Sizes

	Black	Black/Yellow
0.6m x 0.9m	DP010609	SD010701
0.6m x 18.3m	DP010004	SD010706
0.6m x per linear metre	DP010004C	SD010706C
0.9m x 1.5m	DP010915	SD010702
0.9m x 3m	DP010903	SD010703
0.9m x 6m	DP010906	SD010704
0.9m x 18.3m	DP010005	SD010707
0.9m x per linear metre	DP010005C	SD010707C
1.2m x 18.3m	DP010007	SD010708
1.2m x per linear metre	DP010007C	SD010708C
1.5m x 18.3m	DP010011	SD010709
1.5m x per linear metre	DP010011C	SD010709C





Diamond Tread

Ideal safety matting for welding bays

Heavy-duty 'diamond tread' top surface.

- Comfortable foam backing offers superior fatigue relief.
- Flame retardant top surface.
- Fire test classification of Cfl-s1.
- Ideal for welding bays and demanding industrial use.
- Supplied with ramped edges all round.

Product Height: 12.5mm



Sizes	Black
0.6m x 0.9m	DTB010001
0.9m x 1.5m	DTB010002
0.9m x 18.3m	DTB010003
0.9m x per linear metre	DTB010003C

Marble Anti-Fatigue


Stylish 'marble-effect' anti-fatigue matting

Hardwearing 'marble-effect' anti-fatigue mat.

- Plush foam backing for comfort.
- Popular for retail counter areas.
- Ideal where functionality and appearance are important.
- Can withstand industrial use.



Sizes	Black
0.6m x 0.9m	MT010001
0.9m x 1.5m	MT010002
0.9m x 3m	MT010004
0.9m x per linear metre	MT010003C
0.9m x 18.3m	MT010003



Fluted Anti-Fatigue

Takes the sting out of standing

Durable anti-fatigue mat with robust fluted PVC surface.

- Ribbed surface helps to provide a firmer footing.
- 'Cushion' foam backing provides good levels of comfort underfoot.
- Ramped edges reduce the risk of tripping and allow easy trolley access.
- Available as single workstation mats or in rolls.

Product Height: 10mm



Sizes	Black
0.6m x 0.9m	FA010001
0.9m x 1.5m	FA010002
0.9m x 3m	FA010003
0.9m x 15.3m	FA010004
0.9m x per linear metre	FA010004C



Senso Dial

Esd approved anti-fatigue mat

Premium quality NBR/SBR rubber top surface bonded to an EPDM foam backing. - ESD approved, measured according to IEC 61340-4-5 - Foam backing provides effective fatigue-relief. - Textured top surface has excellent resistance to slipping. - Durable and resistant to oil spillage. - Supplied with ramped edges. - Product Height: 10mm



Sizes

Black

1m x 10m	SN010002
1m x per linear metre	SN010002C
1.2m x 10m	SN010003
1.2m x per linear metre	SN010003C
0.6m x 1m	SN010004
1m x 1.5m	SN010005
Special sizes available on request	SD1



COBAelite®

Outstanding performance and durability


Premium quality 'bubbled' surface anti-fatigue mat. - Made from extremely hardwearing polyurethane. - Raised surface stimulates blood circulation on foot movement. - Fire resistant to DIN 4102 (B1). - Safety bevelled edging as standard. - Product Height: 15mm



Sizes

Black

0.6m x 0.9m	SE010001
0.9m x 1.2m	SE010003
Special size	SE010010





Solid Fatigue-Step

Ultra-comfortable interlocking tiles in nitrile and rubber

Interlocking solid surface tiles in two options:-
 - 1/ Solid Fatigue-Step (a blend of natural rubber and nitrile)
 - 2/ Solid Fatigue-Step Nitrile (100% nitrile)
 - Nitrile option has excellent resistance to oils, chemicals and grease.
 - B1 version tested to BS EN 13501-1:2002 Class Bfl-s1
 - Tiles link together to provide a very comfortable anti-fatigue surface.
 - Can withstand temperatures of up to 160°C and spillage of molten glass.
 - Individual tiles can be moved and replaced with ease.
 - Conforms to Slip Resistance Test EN 13552 Category R10.
 - Product Height: Standard - 18mm. Nitrile - 16mm



Tile Size	Black	B1 Nitrile
0.9m x 0.9m	ST010001	ST010001B1



Fatigue-Step

Anti-slip floor tiles for wet and oily areas

Interlocking open holed tiles in two options:-
 - 1/ Fatigue-Step (for general industrial use)
 - 2/ Fatigue-Step Nitrile (for especially oily areas or locations using grease)
 - Soft, yet resilient rubber floor tiles.
 - Open holes allow efficient drainage of spilt liquids.
 - Effective anti-fatigue properties for prolonged standing.
 - Fatigue-Step conforms to Slip Resistance Test EN 13552 Category R10.
 - Ideal for bars and kitchens.
 - Product Height: 18mm



Tile Size	Black	Nitrile	Blue
0.9m x 0.9m	SS010001	SS010007	SS020001

Fatigue-Step Grit Top

Extra tough grit surface tiles for safety and comfort

Extremely robust interlocking tiles for heavy-duty use.
 - Made from nitrile for excellent resistance to oils and chemicals.
 - Carbide bonded 'grit' top surface provides exceptional grip even in oily conditions.
 - Provides high levels of comfort underfoot to relieve fatigue.
 - Open holes for efficient drainage of spilt liquids.
 - Optional black or yellow bevelled edging.
 - Product Height: 18mm



Tile Size	Black
0.9m x 0.9m	SS010001G



Fatigue-Step Edging	Black	Yellow
Female Corner Edge	SS010002F	SS070002F
Male Corner Edge	SS010002M	SS070002F
Female Corner Edge Nitrile	SS010002FN	SS070002FN
Male Corner Edge Nitrile	SS010002MN	SS070002MN
Female Corner Edge B1	-	SS070002B1F
Male Corner Edge B1	-	SS070002B1M

Rampmat

An economical anti-fatigue mat

An economical anti-fatigue mat for the workplace. - Raised circular surface for superior slip resistance. - Conforms to Slip Resistance Test EN 13552 Category R10. - Open drainage holes for spilt liquids. - Made from hardwearing NBR rubber. - Moulded bevelled edges reduce trip hazards. - Product Height: 10mm



Sizes

Black

0.9m x 1.5m	RP010001
0.8m x 1.2m	RP010002



Size

Part Code

0.9m x 1.5m	HI010001	HI010002	HI010003	HI010004	HI010005
-------------	----------	----------	----------	----------	----------



High-Duty

Superior oil-resistance

Manufactured from a blend of natural SBR rubber and nitrile. - Standard edged all round mats or interlocking modular sections. - Provides both slip-resistance and fatigue-relief. - Raised circular surface gives excellent underfoot grip. - Conforms to Slip Resistance Test EN 13552 Category R10. - Spilt liquids drain through open drainage holes. - A comfortable alternative to cold hard floors. - Product Height: 12.5mm



High-Duty Grit

Ultra non-slip surface

Manufactured from 100% nitrile to resist chemicals, oils and grease. - Carbide Silicone gives ultra non-slip surface. - Provides fatigue-relief from cold hard floors. - Ideal for demanding locations such as engineering workshops. - Moulded bevelled edges reduce trip hazards. - Open drainage holes for spilt liquids. - Product Height: 11mm



Size

Black

0.9m x 1.5m	HI010001G
-------------	-----------



K-Mat

Get a grip on greasy floors

100% nitrile mat. - Excellent resistance to grease, oils, fats and detergents. - Machine washable. - Ideal for food processing/ manufacturing areas. - 'Cross-grip' surface for exceptional slip-resistance. - Open holes for efficient drainage. - Effective anti-fatigue properties. - Hygienic anti-microbial properties. - Easily cleaned in a commercial washing machine. - Product Height: 9mm



Size

0.85m x 1.5m

Part Code

KM010001



COBAscape

Just the job for oily locations

100% nitrile construction for resistance to most chemicals, oils and greases. - Raised surface provides a firm footing in greasy or oily conditions. - A comfortable alternative to a hard, cold floor. - Machine washable. - Supplied with safety bevelled edges. - 100% nitrile - excellent resistance to cooking oils, chemicals and grease. - Excellent slip resistance in wet/greasy areas such as kitchens and food processing environments. - Can also be used in industrial environments. - Product Height: 6mm



Sizes

0.85m x 0.75m

0.85m x 1.5m

0.85m x 3m

1,15 m x 1,75m


Part Code

CS010001

CS010002

CS010003

CS010004



Unimat

The only 'drainable' rubber runner

Versatile open holed rubber runner. - Excellent drainage properties. - A real asset in helping to prevent slipping in wet /oily areas. - Easy to roll up and move to new locations. - Easily cleaned for extended wear and tear. - Ideal for event caterers. - Product Height: 10mm



Sizes

0.9m x 5m

0.9m x 10m

Part Code

UM010001

UM010002

Bubblemat




Nitrile and natural rubber options

Effective anti-fatigue mat available in two options :- 1/ Bubblemat (100% natural rubber) - 2/ Bubblemat Nitrile (75% natural rubber / 25 % nitrile) - The addition of nitrile provides excellent resistance to oils and chemicals. - Both options feature a raised bubbled surface to stimulate blood circulation. - Available as complete mats or interlocking sections for longer runs. - Product Height: 14mm



Sizes	Black	Nitrile
0.6m x 0.9m (edged all round)	BF010001	BF010001N
0.9m x 1.2m (edged all round)	BF010002	BF010002N
0.6m x 0.9m (interlocking end piece)	BF010003	BF010003N
0.6m x 0.9m (interlocking middle piece)	BF010004	BF010004N

Sizes	Safety
0.6m x 0.9m (edged all round)	BF010701
0.9m x 1.2m (edged all round)	BF010702
0.6m x 0.9m (interlocking end piece)	BF010703
0.6m x 0.9m (interlocking middle piece)	BF010704
0.9m x 1.2m (interlocking end piece)	BF010705
0.9m x 1.2m (interlocking middle piece)	BF010706



Bubblemat Connect

Interlocking tile version of our popular bubble surface mat



Three modules can be linked together to cover any shaped area.
 - Raised bubbled surface to stimulate blood circulation. - Soft but sturdy rubber material offers comfort from cold hard concrete floors.
 - Product Height: 14mm

Sizes	Black	Safety
50cm x 50cm (Middle)	BF010007	-
50cm x 50cm (End)	BF010008	BF010708
50cm x 50cm (Corner)	BF010009	BF010709




Comfort-Lok

Durable, modular matting

Ideal anti-fatigue matting for greasy or oily areas. - Hardwearing natural SBR rubber and nitrile. - Suitable for high temperature environments. - Comfortable standing surface for operatives. - Diamond patterned surface provides underfoot grip. - Conforms to Slip Resistance Test EN 13552 Category R9. - Interlocking modules or single mat (edged all round). - Product Height: 12.5mm



Sizes	Part Code
0.7m x 0.8m (edged all round)	CL010004
0.7m x 0.8m (interlocking middle piece)	CL010002
0.7m x 0.8m (interlocking end piece)	CL010001






Worksafe

Practical, multi-functional mat



Hardwearing anti-fatigue/anti-slip mat available in two options: - Worksafe - Worksafe Oil Resistant (blue) - Manufactured from a blend of SBR rubber and nitrile. - Grease-Proof (blue) option especially resilient to grease and aggressive oils. - Hardwearing, yet comfortable to stand on. - Reduces the risk of slipping on wet, oily or greasy floors. - Anti-slip underside to help hold the mat in position. - Features open drainage holes. - Moulded bevelled edging all round. - Product Height: 12mm



Size	Black	Blue
0.9m x 1.5m	SW010001	SW020001



Blue



COBAdeluxe

Ultra-comfortable, ultra-safe

Excellent slip resistance in wet or oily areas. - Circular open holes rapidly 'drain away' liquid spillage. - Creates a safe and very comfortable standing surface. - Resilient, manufactured from hardwearing natural rubber. - Effective in reducing glass breakage. - Product Height: 19mm



Size	Part Code
1m x 1.5m	DM010002
Connector	DM010003

Edging	Black	Yellow
Long edge 1565mm x 50mm	P240-L1093-C09	P240-L1093-C09-YE
Short edge 1074mm x 50mm	P240-L1092-C09	P240-L1092-C09-YE



Light



Standard



Inter



Heavy

COBAmat®

An excellent all-rounder

Manufactured from interwoven PVC strips. - Choose from a variety of hole sizes to suit your application. - Fully reversible, and resistant to mild acids and alkalis. - Cross-ribbing helps to reduce slips. - Open holes trap loose swarf and debris. - Product Height: 12mm



Product	Black	Blue	Red	Green
Light	CO01	CO02	CO03	CO04
Standard	CS01	CS02	CS03	CS04
Inter	CE01	CE02	CE03	CE04
Heavy	CD01	CD02	CD03	CD04



Heavy



Standard

Sizes	Heavy	Standard
0.6m x 1.2m	WD010701	WS010701
1m x 1.5m	WD010702	WS010702
1.2m x 1.8m	WD010703	WS010703

Workstation

Edged all round PVC mats

Choose from two options: - Workstation standard (hole size: 22mm x 22mm) - Workstation heavy (hole size: 22mm x 10mm) - Interwoven PVC mat with safety bevelled edging all round. - Open weave effectively traps debris. - Cross-ribbed in both directions to reduce slip-related accidents. - Comfortable, anti-fatigue properties. - Conforms to Slip Resistance Test EN 13562 Category R10. - Fire tested to DIN 54332 (B2) part of DIN 4102. - Product Height: 12mm



Diamond Grid

Flexible PVC multi-purpose matting

Open diamond grid pattern for nonslip. - Anti-slip top surface for a safe footing. - Specially designed underside studs have exceptional water drainage properties. - Easily cleaned, rolled up and moved. - Product Height: 8.5mm




Sizes	Blue	Grey	Orange
1m x 4.8m	DG020001	DG060001	-
1m x 9m	DG020002	DG060002	-
1m x 2.4m	-	-	DG170001



Blue



Grey




Orange



Flexi-Deck

Flexible PVC floor tiles ideal for wet areas

Flexible PVC interlinking tiles ideal for industrial use. - Holes allow drainage of liquid and debris. - Specially designed underside studs have exceptional water drainage properties. - Anti-slip top surface for a safe footing in wet conditions. - Easily cleaned, rolled up and moved. - Resistant to most oils and chemicals. - Not just for use on floors. Can also be used on bar shelves as illustrated. - Hygienic PVC does not support the growth of bacteria. - Holes provide efficient drainage and allow air to circulate. - Easily cleaned in a commercial dishwasher. - Product Height: 13mm



Sizes	Black	Blue	Red	Green	Grey
Tile 30cm x 30cm (Pack of 9)	FD010001	FD020001	FD030001	FD040001	FD060001
Female Edge (pack of 3)	FD010002F3	FD020002F3	FD030002F3	FD040002F3	FD060002F3
Male Edge (pack of 3)	FD010002M3	FD020002M3	FD030002M3	FD040002M3	FD060002M3
Corner (Pack of 4)	FD010004	FD020004	FD030004	FD040004	FD060004



Blue



Red



Green



Grey

Work Deck

Takes the weight of pallet trucks and trolleys

Robust interlocking 'easy fit' polyethylene floor tile. - Exceptionally heavy-duty with a point loading of 40,000kg/m². - Grid design captures swarf and provides effective drainage. - Comfortable alternative to cold, hard floors. - Product Height: 25mm



Sizes	Blue	Green	Orange	Black
Tile 0.6m x 1.2m	WD020001	WD040001	WD170001	WD010001
Edge 0.6m x 0.12m	WD020002	WD040002	WD170002	WD010002
Corner 112mm x 112mm	WD020003	WD040003	WD170003	WD010003



Black



Green



Orange





COBASwitch

Purpose-designed switchboard matting

Provides safety for operatives against electrical shocks. - For use in front of switchboards and high voltage equipment. - Slip-resistant fine fluted surface. - 6mm tested to 11,000 volts for 450 volt rated working. - 9mm tested to 15,000 volts for 650 volt rated working. - 9mm conforms to BS921/1976. - Product Height: 6mm or 9.5mm



Sizes	6mm	9.5mm
0.9m x 10m	SM010010	SM010030
0.9m x per linear metre	SM010010C	SM010030C
1.2m x 10m	SM010020	SM010040
1.2m x per linear metre	SM010020C	SM010040C

COBASwitch VDE

Electrical switchboard matting

Lightweight mat designed for use in front of open switchboards and high voltage equipment. - Provides safety for operatives against electric shock. - Fine fluted surface has slip-resistance benefits.

4.5mm x 10m rolls - VDE approved. - Tested to 50,000 volts according to DIN EN60243-1 (VDE0303 part 21) IEC 60243-2:1996. - Product Height: 4.5mm

Sizes	Grey
1m x 10m	SM060010
1m x per linear metre	SM060010C

COBASwitch BS EN: 61111

Electrical insulating matting that conforms to BS EN 61111:2009

Provides safety for operatives against electrical shocks. - Ideal for use in front of switchboards and high voltage equipment. - Ribbed surface offers traction underfoot. - Resistant to acid, oil, and low temperatures. - Manufactured with colour coded tape to depict the classification on the reverse of the matting. - Product Height: 3mm or 4mm or 5mm



Sizes	Part Code
1m x 10m x 3mm	SM010050
1m x per linear metre x 3mm	SM010050C
1m x 10m x 4mm	SM010060
1m x per linear metre x 4mm	SM010060C
1m x 10m x 5mm	SM010070
1m x per linear metre x 5mm	SM010070C



Thickness	Tested to	Working Voltage	Withstand Tested To
3mm	BS EN 61111:2009 Class 0	1KV	10KV
4mm	BS EN 61111:2009 Class 2	17KV	30KV
5mm	BS EN 61111:2009 Class 4	36KV	50KV

COBARib

Anti-slip fluted rubber matting



Durable, manufactured from hardwearing natural rubber. - Fine ribbed surface has effective slip-resistance. - Provides insulation from cold concrete floors. - Has some noise insulation properties. - Can also be used on workbenches. - Available in a chunky COBARib Wide option. - Product Height: 3mm or 6mm

Sizes	Standard		Wide	
	3mm	6mm	3mm	6mm
0.9m x 10m	RR010010	RR010030	RR010010W	RR010030W
0.9m x per linear metre	RR010010C	RR010030C	RR010010WC	RR010030WC
1.2m x 10m	RR010020	RR010040	RR010020W	RR010040W
1.2m x per linear metre	RR010020C	RR010040C	RR010020WC	RR010040WC



GripSafe

Anti-slip, protective liner

Ideal non-slip liner for work benches, shelves, drawers and trays. - Cushions and protects components. - Easy to cut and trim to shape. Manufactured from PVC foam. - Machine washable. - Product Height: 4mm

Sizes	Black
0.6m x 1.2m	GS010002
0.6m x 10m	GS010001




COBAdot

Studded surface nitrile / rubber flooring

Available in two options: - 1/ COBAdot Standard (natural / synthetic rubber) - 2/COBAdot Nitrile (natural / nitrile rubber) - A best seller for many industrial and commercial environments. - Studded surface is stylish and functional for added grip underfoot. - Widely used for floor refurbishment or floor protection. - Nitrile option is extremely resilient to oil, grease and chemical degradation. - Can be loose laid or bonded to the floor surface. - Please Note: Due to the manufacturing process of this type of material, alignment of the dot pattern cannot be guaranteed between runs of COBAdot. - Product Height: 3mm or 4.5mm

Sizes	Black	Black Nitrile	Grey	Grey Nitrile
1.2m x 10m x 3mm	CDS010001	CDN010001	CDS060001	CDN060001
1.2m x per linear metre x 3mm	CDS010001C	CDN010001C	CDS060001C	CDN060001C
1.2m x 10m x 4.5mm	CDS010002	CDN010002	CDS060002	CDN060002
1.2m x per linear metre x 4.5mm	CDS010002C	CDN010002C	CDS060002C	CDN060002C



Solid Vinyl

High performance PVC insulator

Manufactured from durable PVC. - Embossed pyramid anti-slip surface. - Excellent chemical resistance. - Good sound insulation properties. - Economical, versatile and easy to install. - Product Height: 3mm

Sizes	Black
1.22m x 5m	SV010001
1.22m x 10m	SV010002

GripGuard

Grit surface matting with outstanding anti-slip properties

Mineral coated matting provides a 'super-grip' standing surface. - Effectively reduces the risk of slipping in wet or oily conditions. - Conforms to Slip Resistance Test DIN 51130 Category R11. - Durable and oil-resistant makes it suitable for heavy duty industrial locations. - Also suitable for some kitchen/catering environments where spillage presents a danger. - A flexible, yet tough mat that can be easily rolled up and relocated. - Low profile design sits almost flush to the floor surface reducing trip accidents. - Easy to install and clean. - Anti-skid backing holds the mat firmly in position. - Product Height: 2.25 ± 0.2mm

Sizes	Black
0.9m x 6m	GG010003
0.9m x per linear metre	GG010003C
0.9m x 1.5m	GG010002



Rubber Sheet

A complete range of quality rubber sheet material for countless applications

Rubber sheet is used for a myriad of purposes including waterproof seals and gaskets, shotblasting, and food and beverage applications. With over 40 grades of rubber material the choice ranges from premium, through to economy options. Available to order in rolls and also by the metre.

Sizes	1	2	3	4	5	6	7	8
1.4m x 10m x 1.5mm	CRS00001	-	EPDM00001	-	NIS00001	NES00001	FWR00001	-
1.4m x 10m x 1.8mm	-	IRS00001	-	-	-	-	-	-
1.4m x 10m x 3mm	CRS00002	IRS00002	EPDM00002	SRS00001	NIS00002	NES00002	FWR00002	PRS00001
1.4m x 10m x 4mm	-	-	-	-	-	-	FWR00003	-
1.4m x 10m x 4.5mm	CRS00003	IRS00003	EPDM00003	SRS00002	NIS00003	NES00003	-	-
1.4m x 10m x 6mm	CRS00004	IRS00004	EPDM00004	SRS00003	NIS00004	NES00004	FWR00004	PRS00002
1.4m x 10m x 12mm	-	-	-	SRS00004	-	-	-	-
1.4m x 5m x 8mm	CRS00005	-	-	-	-	-	-	-
1.4m x 5m x 10mm	CRS00006	IRS00005	-	-	-	NES00005	FWR00005	PRS00003
1.4m x 5m x 12mm	CRS00007	IRS00006	-	-	-	NES00006	-	PRS00004
1.4m x 5m x 20mm	CRS00008	-	-	-	-	NES00007	-	-
1.4m x 5m x 25mm	CRS00009	-	-	-	-	NES00008	-	-

1. Commercial Black Rubber

General purpose grade for water service and dilute chemicals

Used for low cost waterproof seals and gaskets.

- 68 degrees shore A hardness.
- Tensile strength at break: 3.0 Mpa.

2. Insertion Black Rubber

Features embedded textile reinforcement

Increased tensile strength and tear resistance.

- Ideal for many general purpose applications.
- 68 degrees shore A hardness.
- Tensile strength at break: 3.0 Mpa.

3. EPDM Rubber

Excellent resistance to ozone, oxidants and harsh weather conditions

67 degrees shore A hardness.

- Tensile strength at break: 5.0 Mpa.

4. Shotblast Rubber

Cost-effective, abrasion-resistant rubber sheeting

62 degrees shore A hardness.

- Tensile strength at break: 10.0 Mpa.

5. Commercial Black Nitrile Rubber

Excellent resistance to oils, fuels, petroleum and most solvents

Effective abrasion resistance.

- 62 degrees shore A hardness.
- Tensile strength at break: 5.0 Mpa.

6. Commercial Black Neoprene Rubber

Effective resistance to mineral oils, greases, dilute acids and alkalis

Good ageing and weathering properties.

- Suitable for outdoor applications.
- 65 degrees shore A hardness.
- Tensile strength at break: 6.0 Mpa.

7. Food Quality White Rubber Sheet

White, non-marking rubber manufactured from fda approved ingredients.

Used in all food and beverage industries or sealing applications.

- Avoid vegetable/ animal oils.
- 62 degrees shore A hardness.
- Tensile strength at break: 4.0 Mpa.
- Elongation at break: 300%.

8. Para Shotblast Rubber

Tan coloured natural rubber

Excellent resistance to wear and abrasion.

- Widely used as protective screening for shotblasting.
- Also used in strip or gasket form where durability is essential.
- 45 degrees shore A hardness.
- Tensile strength at break: 15 Mpa.



ESD Matting & Accessories

All you need for ESD protection

Electrostatic Discharge (ESD) can be a problem in some working environments, and potentially damaging to electrical components. Floors, chairs, work surfaces and packaging can all create static electricity, which when released into an electronic device becomes known as Electrostatic Discharge. We have a comprehensive range of industry tested ESD floor mats and accessories to protect you and your electronic components against the harmful effects of static electricity.

COBAstat®

Static-dissipative anti-fatigue mat

Durable floor mat to protect operatives from static build-up. - Anti-fatigue standing surface for improved comfort. - Grounded via a 10mm male stud fitted to the mat. - Maximum performance when used with grounding wire. - Actual resistance: $1 \times 10^9\Omega$ to $1 \times 10^{10}\Omega$. - Product Height: 9mm

Sizes

	Grey
0.6m x 0.9m	AS060001
0.9m x 1.5m	AS060002
0.9m x 18.3m	AS060003
0.9m x per linear metre (max. 18.3m)	AS060003C



Senso Dial

ESD approved safety floor mat

ESD approved floor mat with excellent all-round safety features. - EPDM foam backing provides fatigue-relief. - Patterned NBR/SBR rubber top surface effectively reduces slips. - Hardwearing and resistant to oil spillage. - Measured according to IEC61340-4-5. - Ramped edges. - Product Height: 10mm

Sizes

	Black
1m x 10m	SN010002
1m x per linear metre (max. 10m)	SN010002C
1.2m x 10m	SN010003
1.2m x per linear metre	SN010003C

COBAelite® ESD

Static-dissipative, durable work surface mat. - Conductive buried layer protects components. - Grounded via a 10mm male stud fitted to the mat. - Actual resistance: $1 \times 10^7\Omega$ to $1 \times 10^9\Omega$. - Product Height: 14mm

Sizes

	Black
0.6m x 0.9m	SE010001
0.9m x 1.2m	SE010003
Special size	SE010010





Benchstat

Three layer construction, exceptional performance

Superior static-dissipative work surface mat. - Protects both components and operatives.
Solid vinyl top surface and foam base. - Buried conductive middle layer for ESD protection.
- Meets or exceeds IEC61340-5-1 resistance requirements. - Actual resistance: $1 \times 10^7 \Omega$ to $1 \times 10^9 \Omega$. - Product Height: 3mm

Sizes	Blue	Grey
0.6m x per linear metre (max. 30m)	IS020001C	IS060001C
0.9m x per linear metre (max. 30m)	IS020002C	IS060002C
1.2m x per linear metre (max. 30m)	IS020003C	IS060003C
0.6m x 1.2m	IS020004	IS060004
0.6m x 30m	IS020001	IS060001
0.9m x 30m	IS020002	IS060002
1.2m x 30m	IS020003	IS060003



Blue



Grey

HR Matting

Premium quality work surface mat

Static-dissipative, durable work surface mat. - Conductive buried layer protects components. - Grounded via a 10mm male stud fitted to the mat. - Meets or exceeds IEC61340-5-1 resistance requirements. - Actual resistance: $1 \times 10^7 \Omega$ to $1 \times 10^9 \Omega$. - Product Height: 2.4mm

Sizes	Blue	Grey
0.6m x 1.2m	HR020001	HR060001
1.2m x 3m	HR020002	HR060002
1.2m x 15m	HR020003	HR060003
1.2m x per linear metre (max. 15.3m)	HR020003C	HR060003C



HR Matting Kits

Each kit includes:

HR mat - Wristband with 10mm male stud to connect to coil cord - Coil cord 10mm male stud and 10mm female stud 1.8m long - Common point ground wire 10mm male stud and 10mm female stud incorporating 4mm banana socket - length 4.5m - Earth bonding plug to connect lead to earth

Sizes	Blue	Grey
0.6m x 1.2m	HR020001KUK	HR060001KUK
1.2m x 3m	HR020002KUK	HR060002KUK

Benchstat Kits

Each kit includes:

Benchstat mat - Male stud to connect to common point wire - Wristband with 10mm male stud to connect to coil cord - Coil cord 10mm male stud and 10mm female stud 1.8m long - Common point ground wire 10mm male stud and 10mm female stud incorporating 4mm banana socket - length 4.5m - Earth bonding plug to connect lead to earth

Sizes	Blue	Grey
0.6m x 1.2m Kit	IS020004KUK	IS060004KUK
0.6m x 1.5m Kit	IS020005KUK	IS060005KUK
1.2m x per linear metre	IS020003CKUK	IS060003CKUK

COBAstat Floor Kits

Each kit includes:

COBAstat floor mat - Male stud to connect to grounding wire - 2m floor mat grounding wire - 2 x heel grounders - Earth bonding plug to connect lead to earth

Sizes	Grey
0.6m x 0.9m	AS060001KUK
0.9m x 1.5m	AS060002KUK
0.9m x per linear metre	AS060003CKUK



Conductive Rubber Bench Matting

Two layered mat manufactured from rubber with coloured top surface and black bottom surface.

- Top surface: 0.5mm thick static dissipative layer.
- Supplied with one stud 10mm diameter.
- Solder Iron resistant.
- Low reflecting.
- Conforms to IEC 61340-2-3.
- Product Height: 2mm

Size	Grey	Green
0.6m x 1.2m x 2mm	CDR060004	CDR040004



Grey



Green

a. ESD Rubber Bench Mat

Manufactured from Rubber - Supplied with 10mm stud - Solder Iron resistant - Easy to clean - Low reflecting. - Colour: Black.

- Conforms to IEC 61340-2-3.

Size	Part Code
0.6m x 1.2m x 2mm	ESDB010005



a

a. ESD Rubber Floor Mat

Manufactured from black rubber. - Supplied with one stud 10mm diameter. - Easy to clean. - Colour: Black. - Conforms to IEC 61340-4-1.

Size	Part Code
0.6m x 1.2m x 3mm	ESDF010005

b. Conductive Neoprene Bench/Floor Mat

Manufactured from Neoprene Rubber.

- Supplied with 10mm stud.
- Solder Iron resistant.
- Easy to clean.
- Low reflecting.
- Conforms to IEC 61340-2-3.
- Conforms to IEC 61340-4-1.

Size	Part Code
0.6m x 1.2m x 2mm	CBF010004



b

1. Wristbands

Crochet style elasticated, adjustable wristbands. - Comfortable and functional. - Quality manufacture for durability. - Silver monofilaments provide excellent band to skin contact. - Fitted to the coiled ground wire via a 10mm male stud. - Meets or exceeds IEC61340-5-1.



2. Heel Grounder

Designed to ground operator when used on suitable conductive or dissipative flooring. - Hardwearing, long-lasting rubber construction for shoe shapes/sizes. - Conductive tab ensures reliable and effective skin contact. - Two grounders recommended at all times for complete ESD safety. - Fitted with 1 meg Ω resistor for operator safety.



3. Coil Cord

PE coil cord with good coil memory – tangle-free. 1 meg Ω resistor incorporated for operator safety. - 10mm stud to 10mm stud. Length: 1.8m.



4. Common Point Ground Wire

10mm female stud at one end for connection to a 10mm male stud on an earth plug. - 10mm female stud for connection to the mat, along with a 10mm male stud. - 4mm banana socket for connection to operator coil cord. - Length: 4.5m wire for connection to earth plug.



5. Floor Mat Grounding Wire

Ground wire for floor mats. - 10mm female stud on each end for connection to mat and earth plug. - Fitted with integral 1 meg Ω resistor. - Length: 3m.

6. UK Earth Bonding Plug

Ideal grounding point for bench/floor mats and personnel. - Designed to fit UK standard mains plug outlets. - Does not have a resistor (which is integral with all ground cords). - Neutral and mains voltage pins are plastics. - Earth pin is metal for guaranteed safety. - ALSO available: European Earth Bonding Plug for EU standard mains. Further information on request.



Product	Part Code
Wrist Band	HR000007
Heel Grounder	HR000008
Coil Cord	HR000006
Common Ground Point Wire	HR000005
Floormat grounding wire	HR000011
Earth Bonding Plug - UK	HR000009

Floor Level Safety Accessories

Defining danger and increasing safety

Floor and barrier tapes are an easy, yet effective visual aid for clearly highlighting areas of danger, or for the demarcation of specific zones. Our high quality floor tapes, line marking paints and barrier tapes are used by local authorities, utilities companies and service providers in general as well as by many other industries. Within this range, we also offer anti-slip products for stairs and tiled floors. Simple, effective and easy to apply.



Line Marking Paint

Long-lasting permanent line paint

Hardwearing permanent line marking paint. - Fast-drying in a choice of colours. - Suitable for use on concrete, tarmac and composites. - Internal and external use – CFC free aerosol.

Permanent	Black	Blue	Red	Green	Grey	Yellow	White	Orange
750ml	QLL00001P	QLL00002P	QLL00003P	QLL00004P	QLL00005P	QLL00007P	QLL00013P	QLL00017P

Temporary Line Marking Paint

Aerosol paint that gradually fades away

Temporary line marking paint which can be removed with water and a brush. - Rapid touch dry in 5 minutes. - Paint gradually weathers away in 4-6 weeks.

Temporary	Black	Blue	Red	Green	Grey	Yellow	White	Orange
750ml	QLT00001P	QLT00002P	QLT00003P	QLT00004P	QLT00005P	QLT00007P	QLT00013P	QLT00017P

Survey Paint

Weather-resistant, quick drying

Survey Paint can last up to 3 months. - Weather-resistant. - Touch dry in 5 minutes.

Survey	Black	Blue	Red	Green	Grey	Yellow	White	Orange
750ml	QLS00001P	QLS00002P	QLS00003P	QLS00004P	QLS00005P	QLS00007P	QLS00013P	QLS00017P

Paint Applicator

Allows fast, accurate application of all types of aerosol paint. - Handheld and wheeled versions available. - Wheeled applicator available in a two can version for extra capacity.

Applicators	Part Code
Handheld Applicator	QLA000001
4 Wheel Applicator	QLA000002
4 Wheel Applicator - 2 Cans	QLA000003



GP1





GP1 Safety



GP2



GP2 Safety



CablePro GP

A general purpose cable protector available in 3m or 9m lengths



Reduce trip hazards caused by trailing cables. - Protect cables and wires from being pulled or crushed causing costly damage. - Hazard strip version for increased visibility.

Part	Colour	3m	9m
GP1	Black	CP010010	CP010003
GP1 Safety	Black/Yellow	CP010711	CP010701
GP2	Black	CP010011	CP010004
GP2 Safety	Black/Yellow	CP010712	CP010702

Data1



Data2



CablePro Data

Multiple channels for telephone, power or ethernet cables




Ideal for keeping multiple cable types separated. - Seam in base for snapping in cables.

Part	Colour	3m	9m
Data1	Black	CP010010	CP010003
Data2	Black	CP010011	CP010004

HD1



HD2



CablePro HD

Two heavy duty options for areas with heavy traffic or larger cables

Tough ramped edges keep cables protected. - Larger 23mm diameter channels accommodate heavy duty cables.

Part	Colour	3m	4.5m	9m
HD1	Black	CP010007	-	CP010001
HD2	Black	-	CP010009	CP010002

CablePro Mat

Mat designed to be laid over cables to reduce trip hazard

Special mat for protection from tripping hazards due to loose cables lying around. - Extremely durable nylon surface in dappled colour shades. - Cleated non-slip backing made from durable nitrile rubber with integrated cable run. - Edge in hazard stripe. - Light-resistant and suitable for underfloor heating. - Anti-static. - Product Height: 13mm

Size	Part Code
0.4m x 1.2m	CP010701





COBATape

Floor tape for clear definition

Self-adhesive backed PVC floor tape. -
Designed to effectively mark lines on floors.
- Ideal for factory floors and industrial use.
- White version is popular for the leisure industry. - Plain or hazard striped options.

Size	Black	Green	Blue	Red	Yellow	White
50mm x 33m	TP010002	TP040002	TP020002	TP030002	TP070002	TP130002
Hazard	White/Red	Black/Yellow	White/Green			
50mm x 33m	TP130302	TP010702	TP130402			



Barrier Tape

Isolate hazardous areas

Strong non-adhesive polyethylene barrier tape. -
Widely used by the construction industry for temporary barriers. - Ideal for industrial environments.

Roll Size	Red/White
76.2mm x 500m	BT130301



Gripfoot

Grit tape, cleats and tiles for slip-resistance

Abrasive grit 'anti-slip' products with self-adhesive backing available in tapes, cleats and tiles.

- Provides additional grip underfoot on smooth surfaces.
- Hardwearing and easy to install.
- Gripfoot Tape – versatile for floor surfaces, machinery and vehicles.
- Gripfoot Cleats (rectangular) are designed for use on steps and stairs.
- Gripfoot Tiles (square) are ideal for increasing safety on smooth, tiled floors.
- Hazard version (tape only) in yellow/black provides high visibility in darkness or low light conditions. Red/White hazard option also available.
- Conforms to Slip Resistance Test EN 13552 Category R13

Tapes	Black
25mm x 18.3m	GF010001
50mm x 18.3m	GF010002
102mm x 18.3m	GF010003
152mm x 18.3m	GF010004

Tiles	Black
140mm x 140mm	GF010005

Cleats	Black
152mm x 610mm	GF010006



Tapes	Black	Blue	Yellow	Red	Green	Luminous	Clear
50mm x 18.3m	GF010001	GF020002	GF070002	GF030002	GF040002	GF110002	GF120002

Tapes	Black/Yellow	Red/White
50mm x 18.3m	GF010702	GF031002

Gripfoot Conformable

Foiled backing fits to irregular surfaces

Abrasive grit 'anti-slip' surface tape, cleat or tiles.

- Self-adhesive foiled backing allows for 'rolling' or 'hammering' to shape.
- Ideal for diamond treadplates, curved or irregular surfaces.

Sizes	Black
50mm x 18.3m	GF010002C
102mm x 18.3m	GF010003C
152mm x 18.3m	GF010004C
140mm x 140mm	GF010005C
152mm x 610mm	GF010006C



Aluminium Stairtread

Visibly increases safety underfoot

Non-slip tape bonded to aluminium plate.

- Ideal for reducing the risk of slips on stairs or metal grid platforms.
- Easy installation.
- Available individually or as packs of five.

Size	Black	Black/Yellow
625mm x 114mm	GF010011	GF010711



Flooring

External and internal floorcoverings

Our expansion into the flooring market has brought with it a choice of products for commercial and industrial environments. Our COBAGRiP® range of glass reinforced plastic (GRP) anti-slip products is popular with Local Councils and buildings such as transport terminals looking to increase underfoot safety on public walkways in snow, ice and wet conditions. Our GRP options include sheets, stair treads and stair nosing.

COBAGRiP®

COBAGRiP® is a range of UV stabilised GRP sheets, treads and stair nosing designed to offer exceptional levels of slip-resistance both indoors and out, while having outstanding wear and tear qualities. It is an ideal underfoot safety solution for pedestrian and factory walkways, access ramps, gangways and bridges.

The Silicone Carbide 'gritted' top surface provides effective underfoot grip and is resistant to most solvents and chemicals. It is manufactured using flame retardant materials. Easy to install, simply bond or screw to the existing floor surface, COBAGRiP® is a cost-effective means of refurbishing damaged or slippery floors. Easy to clean (pressure wash).

**Ramp Slip Tested to R13 in accordance with DIN 51130: 2010.
Pendulum Slip Tested in accordance with BS 7976-2: 2002.*



COBAGRiP® Sheet

Ideal solution to combat slip hazards such as spilt liquids or ice

Available in a range of colours to meet all DDA requirements. - Suitable for use with forklift traffic. - Simply bond or screw to the existing floor surface. - Colour options: black, grey and yellow. - Product Height: 5mm

Sizes	Black	Grey	Yellow
1.2m x 2.4m	GRP010001	GRP060001	GRP070001
1.2m x 1.2m	GRP010002	GRP060002	GRP070002
0.8m x 1.2m	GRP010003	GRP060003	GRP070003

COBAGRiP® Light

Manufactured from flexible grp sheet

Ideal for use on undulating surfaces. - Can also be used in food production areas. - Product Height: 2.4mm

Sizes	Black	Grey	Yellow
1.2m x 2.4m	GRP010001L	GRP060001L	GRP070001L
1.2m x 1.2m	GRP010002L	GRP060002L	-
0.8m x 1.2m	GRP010003L	GRP060003L	-



COBAGRiP® Stair Nosing

Designed to help prevent slips on stairs

Suitable for use on existing or new-build steps. - Manufactured with chamfered back edge for additional safety. - Bright colour for visibility meeting DDA requirements.

Sizes	Yellow
3m x 55mm x 55mm	GRP070001N
2m x 55mm x 55mm	GRP070002N
1.5m x 55mm x 55mm	GRP070003N
1m x 55mm x 55mm	GRP070004N



COBAGRiP® Stair Tread

Silicone carbide surface helps to prevent slip accidents on stairs

Designed to fully cover the stair area. - 55mm x 55mm contrasting coloured nosing meeting DDA requirements. - Can be used in conjunction with COBAGRiP Sheet.


Sizes	Black/Yellow	Black/White
3m x 345mm x 55mm	GRP010701S	GRP010131S
2m x 345mm x 55mm	GRP010702S	GRP010132S
1.5m x 345mm x 55mm	GRP010703S	GRP010133S
1m x 345mm x 55mm	GRP010704S	GRP010134S

Studded Tile

Durable studded rubber floor tile

Hardwearing natural/synthetic rubber floor tile with studded design. - Popular for many commercial environments. - Raised studs provide some slip-resistance underfoot. - Extensive colour palette. - Free from PVC, Plasticizers and Formaldehyde. - Applied by adhesion to the floor. - Product Height: 2.5mm +/- 0.2mm

Tile Size	Black	Light Grey	Dark Grey	Blue	Oyster White
485mm x 485mm (+/- 1mm)	SRTA104	SRTA105	SRTA106	SRTA116	SRTA117



Black



Blue



Dark Grey




Light Grey



Oyster White



















Tough-Lock

A smart solution for floor refurbishment

Smart interlocking tile manufactured from resilient PVC. - Available in two finishes – Studded and Textured. - Effective for refurbishing floors, such as covering damaged surfaces. - Suitable for heavy and light industrial use, as well as commercial locations - Can withstand the weight of most forklift trucks. - Tile system simply interlocks for easy installation. - Available in Anti-Static and ESD versions on request. - Bevelled edging available. - Product Height: 5mm or 7mm

						
Studded Tile	Black	Grey	Blue	Red	Green	Yellow
0.5m x 0.5m x 7mm	TLS010002H	TLS060002H	TLS020002H	TLS030002H	TLS040002H	TLS070002H
						
Textured Tile	Black	Grey	Blue	Red	Green	
0.5m x 0.5m x 5mm	TLT010003H	TLT060003H	TLT030003H	TLT040003H	TLT070003H	
Textured Tile	Black	Grey	Blue	Red	Green	Yellow
0.5m x 0.5m x 7mm	TLT010002H	TLT060002H	TLT020002H	TLT030002H	TLT060002H	TLT070002H



Tough-Lock Eco

An economical floor covering made from 100% recycled materials

Smart interlocking tile manufactured from 100% recycled PVC. - Studded surface design. - Effective for refurbishing floors, such as covering damaged surfaces. - Suitable for heavy and light industrial use, as well as commercial locations. - Can withstand the weight of most forklift trucks. - Tile system simply interlocks for easy installation. - Bevelled edging available. - Product Height: 5mm

Tile Size (pack of 4)	Black
500mm x 500mm	TLS010001E
Edging (pack of 4)	Black
Bevelled Edge 515mm x 80mm x 5mm	TLE010001E
Bevelled Corner Edge 515mm x 80mm x 5mm	TLC010001E



Knee-Saver

Take the strain out of kneeling

The ideal pad for all those uncomfortable kneeling jobs. - Reduces knee pain and lower back stress caused by regular kneeling. - Lightweight to carry – only 0.35 kg per pad – with carrier handle. - Resistant to oils and chemicals. - Manufactured from closed cell PVC/nitrile blend foam.

Size	Part Code
530mm x 360mm	KS010001



Adesilex VS45

Water based acrylic adhesive ideal for installation of rubber flooring

Suitable for internal use on absorbent substrates in areas with medium pedestrian traffic.

Sizes	VS45
12kg pot covers approx 40m ²	AD000003
5kg pot covers approx 16m ²	AD000004



Adesilex G19

Two part polyurethane adhesive suitable for rubber, PVC and linoleum flooring

Suitable for non-absorbent or moisture-sensitive areas, internal or external use.

Sizes	G19
10kg pot covers approx 20m ²	AD000001
5kg pot covers approx 10m ²	AD000002



Chair Mat (PET)

Environmentally-friendly floor protection

Cost-effective: two options Hard Floors and Carpet. - Manufactured from 100% recycled polyester terephthalate. - Fully recyclable after use. - Slip resistant. - Free of vinyl. - Available in a range of shapes and sizes.

Chair Mat (PC)

Extra-durable floor protection for office chairs

Manufactured from unbreakable Polycarbonate for high impact strength. - Two options: Hard Floors and Carpet Protector. - Slip resistant. - Free of vinyl. - Ideal for allergy sufferers. - Suitable for use above floor heating.



Carpet	PET	PC
0.9m x 1.2m (Shape B)	CMC00001PEL	CMC00001PCL
0.9m x 1.2m (Shape A)	CMC00001PES	CMC00001PCS
1.2m x 1.5m (Shape B)	CMC00002PEL	CMC00002PCL
1.2m x 1.5m (Shape A)	CMC00002PES	CMC00002PCS
1.2m x 2m (Shape A)	CMC00003PES	CMC00003PCS
Hard Floor	PET	PC
0.9m x 1.2m (Shape B)	CMH00001PEL	CMH00001PCL
0.9m x 1.2m (Shape A)	CMH00001PES	CMH00001PCS
1.2m x 1.5m (Shape B)	CMH00002PEL	CMH00002PCL
1.2m x 1.5m (Shape A)	CMH00002PES	CMH00002PCS
1.2m x 2m (Shape A)	CMH00003PES	CMH00003PCS



Entrance Matting Systems

From prestige to budget, we've got it covered

COBA Europe offers an extensive range of Aluminium, Carpet and PVC Tiled based entrance matting systems that are both stylish and deliver superior wear resistance for busy areas subjected to high volumes of pedestrian footfall. Many of our options have environmentally-friendly credentials, incorporating recycled materials in their manufacture. Whether it is interlinking entrance tiles, carpet on rolls or a custom made aluminium system, our fully trained sales team can advise at every stage of specification and installation.

Plan Range

Looking for the wow factor? The 'plan range' is a stylish collection of high performance, aluminium entrance systems available in an extensive choice of colours, designs and surface finishes. Custom-made to-order, this is the perfect plan for heavy-duty commercial entrance areas.

Plan.a

Versatile aluminium entrance matting

Robust, high-quality aluminium system for heavy-duty use. - Profile made using 30% recycled aluminium. - Flexible, yet durable PVC linking joints for ease of handling/fitting. - Three surface options available – 20mm strip inserts of either carpet or PVC scrapers. - Choose from one, or a combination of, surface options. - Custom-made to order - Product Height: 10mm or 17mm



Open




Closed


Material Key

A	Carpet / PVC inserts
B	Aluminium
C	Flexible PVC connector
D	Foam cushion

Low Profile



Standard Profile



Insert Options



Alba - See P.40



Needlepoint - See P.41




Brushes




PVC


Finishing Accessories




Ramped Edging for Low Profile




T Profile for Low Profile




T Profile




Low Profile Frame for Recessed Wells



Frame Profile for Recessed Wells



Aluminium Finishing Profile



Expansion Strip



Plan.b

High-quality, stylish brush system for dirt control


A combination of durable nylon brushes embedded in flexible 100% recycled PVC strips. - Strips are linked via flexible, stainless steel wires. - Brushes remove soil, grit and debris by 'brushing' the contour of shoes. - Install in recessed matwells or lay to surface with optional edging. - Suitable for indoor and outdoor use. - Fire tested to: Cfl-S2. - Custom-made to order with a choice of 13 colour-ways and bespoke logo options. - Production techniques allow for matting with curves, diagonals and angles. - Product Height: 22mm



Plan.c

Reversible closed surface aluminium entrance matting

A robust aluminium system for high traffic entrances - Two surface options: - 1/ Rubber profiles with nylon filaments - 2/ Rubber scraper profiles - Assembled in modules for easier transportation and installation. - Profiles are connected via heavy-duty steel wire. - Suitable for indoor use. - Fire tested to: Bfl-S1. - Custom-made to order. - Product Height: 18mm



Black



Grey



Rubber

Plan.e

Robust aluminium entrance matting with low profile

Durable linking joints for ease of handling/ fitting. - Suitable for high volume footfall in commercial locations. - Available with most standard carpet insert options. - Custom-made to order. - Product Height: 12mm

Insert Options



Alba - See P.40



Needlepoint - See P.41





Premier Track

Heavy-duty, premium quality

Ideal for recessed entrance wells. - Crush-resistant nylon carpet insert. - Effectively scrapes dirt and wipes moisture. - Suitable for wheeled trolleys - Safe for high heeled footwear. Move, clean or replace individual tiles with ease. - Fire tested to EN13501 Euro Classification B(F2)S2. - Slip tested to BS 7976-2:2002 Pendulum Test. - Product Height: 16mm



Anthracite



Blue



Brown




Grey

Closed Surface



Sizes	Surface	Anthracite	Blue	Brown	Grey
29cm x 44cm	Open	PT010101	PT010201	PT010501	PT010601
29cm x 44cm	Closed	PT010101C	PT010201C	PT010501C	PT010601C



Open Surface

Premier Plus

Ideal for recessed entrance wells

Quality needlepunch carpet insert. - Effectively scrapes dirt and wipes moisture. - Links together to cover all floor sizes – indoor use. - Move, clean or replace individual tiles with ease. - Flexible - easily cut to shape. - Fire tested to EN13501 Euro Classification E(F1). - Tile base is colourfast to light: BS EN ISO 105 B02:1999. - Product Height: 18mm



Charcoal



Grey

Sizes	Surface	Charcoal	Grey
29cm x 44cm	Open	PMP010101	PMP010601
29cm x 44cm	Closed	PMP010101C	PMP010601C

Premier Rib

The perfect anti-slip scraper to accompany premier plus or premier track

Ideal for use at the point of entry before the other Premier tiles in order to remove moisture and debris from footwear. - Ribbed rubber inserts ensure reduced risk of slipping. - Easy to install, clean and maintain. - Links directly with Premier Plus & Premier Track tiles. - Product Height: 12mm

Sizes	Surface	Black
29cm x 44cm	Open	PR010101
29cm x 44cm	Closed	PR010101C



Premier Surface

No need for a matwell

Interlocking entrance tiles designed to be laid to surface. - Does not require a matwell. - Solid surface tiles effectively capture dirt to protect interior floors. - Hardwearing nylon carpet inserts scrape dirt and wipe moisture. - PVC base tile is manufactured from 100% recycled materials. - Suitable for high volume footfall in commercial locations. - Optional 'impact-resistant' bevelled edges and corners and T-pieces withstand heavy shopping trolleys. - Co-ordinating Alba carpet can also be supplied in rolls for primary and secondary dirt barrier use. - Slip tested to BS 7976-2:2002 Pendulum Test. - Product Height: 12mm

Size	Anthracite	Blue	Brown	Grey
30cm x 30cm	PSC010101	PSC010201	PSC010501	PSC010601

Edging	Black
Edging: 78mm x 2.0m lengths	PSE00002
Corners: 100mm x 100mm	PSC00004



Anthracite



Blue



Brown



Grey

Treadwell

Entrance floor tile made from recycled materials

Tiles can be installed in recessed matwells. Tiles can be installed in recessed matwells. - Manufactured from recycled tyres. - Looks stylish when laid in uniform or parquet. - Pattern complements an array of interiors. - Product Height: 10mm

Size	Natural
305mm x 305mm (Pack of 10)	TW050001





PathMaster Alu


The most budget-conscious entrance matting available to feature aluminium

100% Polypropylene needlepunch carpet with aluminium scraping inserts. - Supplied on flexible rolls of up to 10m lengths in 2m widths – simply butt tightly together for desired width. - Install in recessed wells or glue to the floor surface with optional bevelled edging. - Cut to size and shape, on site if necessary, using a hand grinder or jigsaw. - Product Height: 10mm

Sizes	Charcoal	Grey
2m wide x 10m	PMB010004	PMB060004
2m x per linear metre (max. 10m)	PMB010004C	PMB060004C



Charcoal



Grey



PathMaster Duo

Stylish pathmaster duo now available in needlepunch option

Solid surface prevents debris falling through. - Supplied on flexible rolls of up to 20m lengths in 2m widths – simply butt tightly together for desired width. - Install in recessed wells or glue to the floor surface with optional bevelled edging. - Anti-slip latex backing. - Product Height: 13mm

Sizes	Charcoal	Grey
2m wide x 20m	PMD010001	PMD060001
2m x per linear metre (max. 20m)	PMD010001C	PMD060001C



Charcoal



Grey



PathMaster³

Quality entrance matting with the practical aspect of tiles

Easier to transport than matting on a roll. - Easy to install - just lay into place on the subfloor using a tackifier or adhesive. You only need to cut the last row of tiles. - Solid surface prevents dirt from falling through the mat, making cleaning a quick task. - Potentially less wastage when compared with cutting from a roll. - Numerous laying patterns offer added flexibility. - Replace individual tiles if they become damaged - not the whole matting area. - Product Height: 13mm


Size	Anthracite	Grey
45cm x 45cm	PM010007	PM060007
Size	Anthracite/Grey	
23.5cm x 75cm	PM010008	



Anthracite



Grey



Anthracite/Grey





Alba

Going to great lengths to make an entrance

Exceptionally durable nylon carpet. - Ideal for high volume entrance areas, such as walkways and corridors. - Nylon pile is highly absorbent and also withstands crushing. - An effective way to protect interior floor surfaces. - Available with optional edging depending on the requirements of the application. - Suitable for glue down, wall to wall, or floor surface applications. - Can be used as part of a two step system in heavy traffic environments. - Product Height: 9.2mm

Sizes	Anthracite	Blue	Brown	Grey
1m x per linear metre	AB010009	AB020009	AB050009	AB060009
2m x per linear metre	AB010008	AB020008	AB050008	AB060008



Anthracite



Blue



Brown



Grey

Toughrib Diagonal

Heavy-duty diagonally ribbed matting

Premium quality, heavy-duty entrance matting featuring attractive diagonal ribbed design. - Supplied in rolls of up to 25m or in cut linear metre lengths. - 100% solution dyed UV stabilised polypropylene fibres for rigorous scraping performance. - Features a robust duo rubber backing. - CE approved to EN14041:2004. - Flammability: EN13501 Euro Classification Ef1. - Dry slip-tested to EN14401:2004. - Product Height: 8.2mm

Sizes	Charcoal	Dark Blue	Grey
2m x 25m roll	TRD010001	TRD020001	TRD060001
2m x per linear metre	TRD010001C	TRD020001C	TRD060001C



Charcoal



Dark Blue



Grey

Toughrib Contract

Ribbed entrance matting on a roll

A popular choice for flooring contractors requiring versatile rolls of entrance carpet. - Ribbed surface not only looks smart, but is designed to scrape dirt and wipe moisture. - Debris and moisture is captured in the ridges and easily vacuumed. - 100% polypropylene pile is durable and suitable for heavy-duty use. - Primary (latex) and secondary (gel foam) backing. - Can be used in recessed matwells or on pedestrian walkways. - Product Height: 7.5mm ± 10%

Sizes	Charcoal	Blue	Brown	Grey
2m x 30m roll	TR010006	TR020006	TR050006	TR060006
2m x per linear metre	TR010006C	TR020006C	TR050006C	TR060006C



Charcoal



Blue



Grey



Brown



Needlepunch

Versatile dirt scraper carpet available in long runs

Textured polypropylene fibres provide outstanding scraper action.

- Popular for both interior walkways and reception areas providing a total dirt-barrier solution.
- Also frequently used in recessed matwells in entrance areas.
- Available with optional edging.
- Suitable for glue down, wall to wall, or lay to surface applications.
- Product Height: 10.8mm

Sizes	Charcoal	Grey
1m x per linear metre (max 21m)	NP010003C	NP060003C
2m x per linear metre (max 21m)	NP010001C	NP060001C
2m x 21m	NP010001	NP060001
1m x 21m	NP010003	NP060003



Charcoal



Grey



Precision Loop

A popular material to produce inlay logomats with a smooth surface.

- Solution dyed polypropylene fibres for unbeatable resistance to wear, UV and staining.
- Ideal for use in logomat designs - choose from 15 colours to recreate your design.
- Heavy weight pile provides outstanding absorbing and wiping action.
- Needlefelt construction provides good crush resistance.
- Edges will not unravel or fray.
- Logomats made in Britain.
- Low installation cost.

Precision Nib


High quality rugged matting material available in stunning colourways.

- Solution dyed polypropylene fibres for unbeatable resistance to wear, UV and staining.
- Ideal for use in logomat designs - choose from the 18 colours to recreate your design.
- Heavy weight pile and large nib design provides outstanding scrubbing action.
- Needlefelt construction provides optimal crush resistance.
- Edges will not unravel or fray.
- Logomats made in Britain.
- Low installation cost.
- Product Height: 11mm +/- 10%

Precision Loop



Precision Nib



Entrance Mats

Mats for all reasons and all seasons

From heavy-duty entrance mats to domestic doormats, COBA Europe has it covered! This section is packed with contemporary and traditional designs to suit most budgets, with options in a wide variety of sizes, colours and wear grades for indoor and outdoor dirt/moisture control.



Vyna-Plush

The perfect low cost doormat

Budget doormat offering all-round performance. - Scrapes dirt and wipes moisture. - 100% polypropylene fibre 'scraping' surface. - Slip and stain-resistant PVC 'stay in place' backing. - Pile material: 100% polypropylene. - Backing: Slip and stain-resistant PVC. - Product Height: 7mm

Sizes	Black/Steel	Black/Brown	Black/Blue	Black/Red
0.6m x 0.9m	VP010601	VP010501	VP010201	VP010301
0.9m x 1.2m	VP010604	VP010504	VP010204	VP010304
0.9m x 1.5m	VP010602	VP010502	VP010202	VP010302
1.2m x 1.8m	VP010603	VP010503	VP010203	VP010303
0.9m x per linear metre (max. 25m)	VP010607C	VP010507C	VP010207C	VP010307C
1.2m x per linear metre (max. 25m)	VP010608C	VP010508C	VP010208C	VP010308C



Black/Steel



Black/Brown



Black/Blue



Black/Red



Entra-Plush

Crush-resistant carpet doormat

Effective carpet doormat for floor protection. - Crush resistant, quick drying carpet surface. - Ideal for wiping moisture from wet footwear. - Polypropylene fibres scrape and trap dirt. - Slip and stain-resistant PVC 'stay in place' backing. - Pile material: 100% polypropylene. - Backing: Slip and stain-resistant PVC. - Product Height: 7mm

Sizes	Blue	Red	Brown	Grey
0.6m x 0.9m	PP020001	PP030001	PP050001	PP060001
0.9m x 1.5m	PP020002	PP030002	PP050002	PP060002
1.2m x 1.8m	PP020003	PP030003	PP050003	PP060003



Blue



Red



Brown



Grey



Black/Charcoal



Black/Blue



Black/Brown

Duo

Contemporary doormat with double performance

Dual fibred construction for double action. - Coarse polypropylene fibres efficiently scrape dirt. - Soft fibres wipe and soak up moisture. - Alternating fibres create smart striped appearance. - Anti-slip PVC backing. - UV and temperature resistant from 0°C to 60°C. - Pile material: 100% polypropylene. - Backing: Slip and stain-resistant PVC. - Product Height: 7mm

Sizes	Black/Charcoal	Black/Blue
0.6m x 0.9m (pack of 2)	DU010001	DU020001
0.9m x 1.5m	DU010002	DU020002
Sizes	Black/Brown	
0.6m x 0.9m (pack of 2)	DU050001	
0.9m x 1.5m	DU050002	



COBAwash®

Practical, machine washable

A real asset in floor protection for domestic and commercial use. - Easy care, smaller sizes* can be washed in a domestic washing machine. (All sizes can be washed in an industrial washing machine.) - Tufted nylon/polyester carpet pile retains up to 3.5 litres/m² of moisture. - Also traps up to 800g of debris/dry dust. - Bleach / fade resistant – 11 year warranty against significant colour loss. - Pile material: nylon/polyester. - Features a robust nitrile backing - Product Height: 9mm

Sizes	Black/Steel	Black/Brown	Black/Blue	Black/Red
0.6m x 0.85m	LM010601	LM010501	LM010201	LM010301
0.85m x 1.2m	LM010604	LM010504	LM010204	LM010304
0.85m x 1.5m	LM010602	LM010502	LM010202	LM010302
1.15m x 1.75m	LM010603	LM010503	LM010203	LM010303



Black/Steel



Black/Brown



Black/Blue



Black/Red



Toughrib

Robust, heavy-duty, tough on dirt

Heavy-duty ribbed carpet surface. - Polypropylene fibres effectively scrape dirt and moisture. - Debris is collected in the carpet surface 'channels'. - Non-staining, slip-resistant PVC backing. - Flammability rating Euroclass EN 13501-1. - Pile material: 100% polypropylene. - Backing: Slip and stain-resistant PVC. - Product Height: ISO 1766 - 6mm ±0.5mm

Sizes	Charcoal	Brown	Grey	Red	Green
0.6m x 0.9m	TR010001	TR050001	TR060001	TR030001	TR040001
0.8m x 1.2m	TR010004	TR050004	TR060001	TR030004	TR040004
0.9m x 1.5m	TR010002	TR050002	TR060002	TR030002	TR040002
1.2m x 1.8m	TR010003	-	-	-	-



Charcoal



Brown



Grey



Red



Green

Microfibre Doormat

Washable microfibre doormat with super absorbency

Exceptional multi-action entrance mat using hygienic microfibre technology. - Superior 'brushing and wiping' with 'rapid dry' properties – even out performs cotton. - Flexible, ultra-fine fibres (even finer than a human hair) provide deep- cleaning action on passing footwear. - Effectively penetrates those hard to reach treads on footwear and wheeled trolleys. - Friction from the fibres generates a static charge that attracts and traps dust/debris. - Filament structure creates a capillary effect for improved dirt retention/absorbency. - Luxuriously soft pile that looks smart and will not lint. - Environmentally-friendly – does not require chemical pre-treatment or washing detergents. - Pile material: Microfibre. - Product Height: 8mm

Sizes	Black	Brown	Purple	Beige
0.6m x 0.9m	MF010001	MF050001	MF200001	MF210001
0.9m x 1.5m	MF010002	MF050002	MF200002	MF210002



Black



Brown



Purple



Beige





Enviro-Mat

Made from 100% recycled materials

Sturdy doormat manufactured from 100% recycled materials. - Heavy-duty recycled rubber backing helps to grip to the floor surface. - Raised pattern polyester carpet surface made from recycled plastic bottles. - Scrapes and traps dirt/debris. - Total carpet coverage eliminates torn borders. - UV and fade resistant surface. - Pile material: 100% recycled plastic (bottles). - Product Height: 10mm

Sizes	Black	Brown
0.6m x 0.9m	EM010001	EM050001
0.9m x 1.5m	EM010002	EM050002
1.2m x 1.8m	EM010003	EM050003

Sizes	Grey	Blue
0.6m x 0.9m	EM060001	EM020001
0.9m x 1.5m	EM060002	EM020002
1.2m x 1.8m	EM060003	EM020003



Black



Brown



Grey



Blue



Superdry

Super wiping, optimum moisture-retention

All round high performance doormat. - Heavy-duty polypropylene loop pile surface. - Raised reinforced 'waffle' pattern scrapes dirt. - Exceptional moisture wiping properties - lipped edges retain up to 5.4 litres water/m². - Rubber backing holds the mat in place. - Pile material: Polypropylene. - Backing: anti-slip rubber. - Product Height: 7mm

Sizes	Black	Blue	Red	Brown	Grey
0.6m x 0.9m	WH010001	WH020001	WH030001	WH050001	WH060001
0.9m x 1.5m	WH010003	WH020003	WH030003	WH050003	WH060003
1.15m x 1.75m	WH010004	WH020004	WH030004	WH050004	WH060004



Black



Blue



Red



Brown



Grey

Supreme

Superior durability for busy entrances

Hardwearing polyamide carpet surface doormat. - Suitable durability for high traffic entrance areas. - Fibres scrape and wipe moisture from footwear for effective floor protection. - Flame retardant to DIN 4102 B1. - Anti-slip PVC backing helps maintain mat position, even on smooth floors. - UV and temperature resistant from 0°C to 60°C. - Pile material: polyamide. - Backing: anti-slip PVC. - Product Height: 10mm

Sizes	Black/Brown	Grey/Blue	Black/Grey
0.6m x 0.9m	SP010501	SP060201	SP010601
0.9m x 1.5m	SP010502	SP060202	SP010602
1.3m x 2m	SP010503	SP060203	SP010603



Black/Brown



Grey/Blue



Black/Grey

Dirt Trapper

A favourite for muddy shoes or paws!

100% ultra-absorbent cotton pile surface lifts wet, dry and even greasy dirt. - Helps to prevent moisture and soil from destroying carpets. - Machine washable, it can also be tumble or drip-dried. - Comes with a 5 year guarantee. - Resilient latex backing reduces mat movement on the floor. - Ideal for domestic and office use to protect floors. - Pile material: 100% cotton. - Backing: latex anti-slip backing. - Product Height: 4mm

Sizes	Azure	Slate	Oak	Pine
0.5m x 0.75m	DI020004	DI060004	DI140004	DI150004
0.75m x 1m	DI020002	DI060002	DI140002	DI150002
0.75m x 1.5m	DI020003	DI060003	DI140003	DI150003



Azure



Slate



Oak





Pine

Logomat

Impressive, makes an instant impact

Customised quality printed doormat for individual logos or messages. - Choose from 40 colours (maximum of six per mat). - Logomat is a real performer in trapping dirt and moisture. - Durable solution-dyed nylon surface tufted into a non-woven polyester. - Soft carpet pile retains moisture, holding up to 2.5 litres water/m² - 11 year warranty against fading. - Standard sizes are machine washable for easy care. - Pile material: nylon/polyester. - Backing: anti-slip nitrile rubber. - Product Height: 7.5mm or 10mm

Sizes	Part Code
0.85m x 1.5m	LG000001
1.15m x 1.75m	LG000002
Special size	LG000005



Because Promomat is printed digitally, virtually any design and colour can be reproduced - giving you full creative control.

Promomat

Mats are printed digitally for superb colour reproduction and definition. - Achieve an all round brand experience at events by adding graphics on the floor. - Ideal when large numbers of mats are needed. - Don't let your product go unnoticed – the high quality colour reproduction is ideal for enhancing point of sale experiences. - Extend your corporate identity through the whole building for seamless branding. - Mats with your logo are also a great gift for clients and prospects. - Cost effective addition to any range of promotional items – has been used to promote films, events and product launches. - Design proof provided within 10 working days of order. - Total turnaround time of no more than 4 weeks. - Product Height:



Coir

Traditional 'coconut' dirt-scraper

Traditional natural doormat made from coconut husk fibres. - Coarse fibres are renowned for their dirt-scraping properties. - Bonded to a heavy-duty PVC anti-slip backing for minimum movement. - Suitable for indoor use either on the floor surface or in matwells. - Can be printed to create logomats. Please contact us for more details. - Pile material: coconut husk fibres. - Product Height: 17mm or 23mm

Sizes - Natural	17mm	23mm
40cm x 80cm	CM050005	CM050008
50cm x 100cm	CM050006	CM050009
60cm x 120cm	CM050007	CM050010
1m x 6m	CM050001	CM050003
1m x per linear metre	CM050001C	CM050003C
2m x 6m	CM050002	CM050004
2m x per linear metre	CM050002C	CM050004C

Sizes - 17mm Coloured	Black	Dark Brown	Grey
1m x 6m	CM010001	CM050001DB	CM060001
1m x per linear metre	CM010001C	CM050001DBC	CM060001C
2m x 6m	CM010002	CM050002DBC	CM060002
2m x per linear metre	CM010002C	CM050002DBC	CM060002C


To order FREE samples or arrange a site visit please call +44 (0)116 240 1088 or email sales@cobaeurope.com

Octoroll

Extremely tough rubber matting by the metre

The ideal choice for demanding entrances - Large holes allow debris to fall through the mat. - The surface pattern scrapes dirt and debris from footwear. - Product Height: 13mm

Sizes	Black
1m x 9.3m	RM010014
1m x per linear metre	RM010014C



Entramat

Quality that stands the test of time!

High-quality dirt-scraper mat for outdoor use. - Manufactured from interwoven flexible PVC extrusions for durability. - Cross-ribbed surface scrapes footwear and the open holes capture debris. - Bevelled edging as standard for safety and wheeled access. - Available in Standard and Heavy-Duty options. - Material: PVC. - Product Height: 12mm

Sizes	Heavy	Standard
0.6m x 1.2m	ED010101	ES010101
1m x 1.5m	ED010102	ES010102
1.2 m x 1.8m	ED010103	ES010103



Rampmat

Honeycomb rubber for all seasons

Manufactured from durable NBR rubber making this a popular doormat suitable for most climates. - Superior slip resistance conforming to Slip Resistance Test EN 13552 Category R10. - Raised circular pattern surface provides grip while scraping dirt and moisture. - Moulded bevelled edging for safety and wheeled access. - Material: SBR rubber. - Product Height: 10mm

Sizes	Black
0.8m x 1.2m	RP010002
0.9m x 1.5m	RP010001

Loopermat

Soft, compounded PVC looped surface traps dirt, debris and moisture. - Cleaning is easy - simply shake to release the debris. - Heavy Unbacked for recessed matwells featuring a mesh underlay to prevent shrinkage. - Medium Backed for loose lay applications with PVC backing. - Fire tested to DIN 4102 (B1). - UV stabilised for fade resistance. - Product Height: 9mm backed or 14mm unbacked

Unbacked	Blue	Grey
0.9m x per linear metre (max. 9m)	LU020909C	LU060909C
1.2m x per linear metre (max. 9m)	LU021209C	LU061209C
Backed	Grey	
0.9m x per linear metre (max. 9m)	LB060909C	
1.2m x per linear metre (max. 9m)	LB061209C	

Unbacked	Blue	Grey
0.9m x 9m	LU020909	LU060909
0.9m x 9m	LU021209	LU061209
Backed	Grey	
0.9m x 9m	LB060909	
0.9m x 9m	LB061209	



Grey



Blue



Unbacked



Backed



Ringmat

Extremely tough rubber matting

The ideal choice for demanding conditions such as icy, snow prone locations. - Provides excellent slip resistance – conforms to Slip Resistance Test EN 13552 Category R10. - Large holes allow debris to fall through the mat. - The raised pattern scrapes dirt and debris from footwear. - Available in Honeycomb and Octomat designs. - Octomat gives the option of brush inserts for enhanced scraping. - Optional B1 fire tested mats are available. - 1. Connectors available to link matting for larger area coverage. - Material: rubber. - Product Height: 23mm

Octomat	Part Code
0.4m 0.6m (17mm)	RM010012
0.6m x 0.8m	RM010009
0.5m x 1m	RM010013
1m x 1.5m	RM010003

Honeycomb	Part Code
0.4m 0.6m (23mm)	RM010011
0.6m x 0.8m	RM010006
0.8m x 1.2m	RM010001
1m x 1.5m	RM010002



Octomat



Honeycomb



Fingertip

Natural rubber doormat gives dirt the brush-off

Flexible natural rubber nodules deliver excellent dirt scraping and trapping action. - Dirt is effectively brushed off then retained in a solid base. - Ideal for most weather conditions making it suitable for outdoor use. - Slip-resistant base to help retain position. - Safety bevelled edges all round. - Material: rubber. - Product Height: 13mm

Sizes	Part Code
0.35m x 0.6m (10mm)	FT010007
0.6m x 0.8m	FT010001
0.8m x 1m	FT010002
0.9m x 1.5m	FT010006
0.9m x 1.8m	FT010003

COBAScrape

A hardwearing nitrile, multi-tasker

Heavy-duty 100% nitrile doormat. - Ideal for wet, greasy or oily conditions. - Raised pattern scrapes dirt and retains water. - Holds up to 2.6 litres water/m² or 1.5kg of dry dust/m². - Helps to reduce the risk of slipping on wet floors. - Machine washable. Suitable for outdoor and indoor use. - Safety bevelled edging as standard. - Material: Nitrile rubber. - Product Height: 6mm

Sizes	Part Code
0.85m x 0.75m	CS010001
0.85m x 1.5m	CS010002
0.85m x 3m	CS010003
1.15m x 1.75m	CS010004



First-Step

Tacky mats for contamination control

A hygienic pad of peel-off adhesive coated, disposable sheets manufactured from an anti-microbial agent to protect against bacteria, mould and mildew. - Once applied to the floor the self-adhesive backing keeps the mat in place. - The 'tacky' sheets capture dirt and dust from footwear and wheeled equipment for contamination control. - When the top sheet becomes soiled, simply peel off to reveal a clean layer. - Adhesive backed pads stick directly to the floor surface. - Ideal for hospitals, clean rooms, general industrial and food contact applications. - Product Height: 1.5mm

Size	White	Blue
0.45m x 1.17m	WC000004	WC020004



White



Blue



Clean-Step

Dirt control with a difference

A pad of adhesive 'tacky' layers fixed to a sturdy rigid backing so that it's possible to relocate. - The adhesive coating effectively attracts and contains walked in dirt and dust for floor cleanliness. - Once soiled, each layer is peeled off and disposed of to reveal a clean sheet. - Refill pads containing 60 layers are available. - Product Height: 6.5mm

Sizes	White	Blue
0.8m x 0.65m (includes one 60 layer pad)	WC000011	WC020011
0.8m x 1.3m (includes one 60 layer pad)	WC000022	WC020022
0.6m x 0.76m replacement 60 layer pad	WC000003	WC020003



White



Blue

Mats for Leisure

We've worked out Leisure

From heavy-duty entrance mats to domestic doormats, COBA Europe COBA Europe has been supplying the leisure industry with safety matting for many years, and we have a range of options that reflects our experience in this sector. Hygienic anti-slip matting for swimming pools and changing rooms, quality gymnasium matting and Critical Fall Height tested rubber safety matting for playgrounds give just a flavour of what's on offer. We also supply a range of equestrian rubber matting for use in stables and equine wash down areas.

Sport-Tile

Heavy-duty interlocking rubber tiles


Durable interlocking rubber tiles for sports and leisure centres. - Popular protective flooring for gyms and ice-rinks. - Absorbs the impact of heavy equipment. - Helps to reduce noise levels. - Provides comfort and grip underfoot. - Can be relocated/replaced with ease. - Product Height: 10mm

Sizes

Tile 0.61m x 0.61m
Edge 0.61m x 0.61m
Corner 0.61m x 0.61m

Part Code

WR010001
WR010002
WR010003



Weightroom Mat

Robust rubber for superior floor protection

Extremely hardwearing rubber matting. - Superior durability and floor protection. - Effective in reducing noise levels. - Reversible offering the option of wide ribbed or textured surface. - Mats can be tightly butted together to cover larger floor areas. - Product Height: 12mm or 17mm

Sizes

1.2m x 1.8m x 17mm
1.2m x 1.8m x 12mm

Part Code

HM010001
HM010002





Leisure Mat

The original PVC safety matting for leisure

Premium quality PVC leisure matting. - PVC does not support the growth of bacteria. - Designed to reduce the risk of slipping. - Popular for pools and changing areas. - Interwoven design for drainage. - Safety bevelled edging as standard. - Conforms to Slip Resistance Test DIN51097 Category B. - Product Height: 12mm

Sizes	Blue	Red	Green
0.6m x 1.2m	LM020612	LM030612	LM040612
1m x 1.5m	LM021015	LM031015	LM041015



Blue



Red




Green

Diamond Grid Leisure

Flexible PVC matting for wet leisure areas

Open diamond grid pattern for non-slip surface. - Anti-slip top surface for a safe footing in wet conditions. - Comfortable and hygienic for bare feet. - Specially designed underside studs have exceptional water drainage properties. - Easily cleaned, rolled up and moved. - Product Height: 8.5mm

Sizes	Blue	Grey
1m x 4.8m	DG020001	DG060001
1m x 9m	DG020002	DG060002
1m x 2.4m	-	-




Flexi-Deck

Ideal for shower rooms and swimming pool walkways

Flexible, hygienic PVC floor tile. - Reduces slipping on wet surfaces. - Textured top surface. - Comfortable to walk on barefoot. - Holes provide efficient drainage of water. - Underside studs enhance drainage. - Easy to roll up, clean and relocate. - Product Height: 13mm



Green



Grey



Red



Black

Sizes	Black	Blue	Red	Green	Grey
Tile 30cm x 30cm (pack of 9)	FD010001	FD020001	FD030001	FD040001	FD060001
Female edge (pack of 3)	FD010002F3	FD020002F3	FD030002F3	FD040002F3	FD060002F3
Male edge (pack of 3)	FD010002M3	FD020002M3	FD030002M3	FD040002M3	FD060002M3
Corner (pack of 4)	FD010004	FD020004	FD030004	FD040004	FD060004



Fatigue-Step

Interlocking rubber safety tiles

Interlocking rubber tile system. - Ideal for increasing safety at outdoor play areas.
 - Tested to Critical Fall Height of 0.6m (BS EN 1177:1998). - Comfortable, yet resilient rubber. - Excellent drainage in wet conditions.
 - Conforms to Slip Resistance Test EN13552 Category R10. - Product Height: 18mm

Size	Part Code
Tile 0.9m x 0.9m	SS010001




Ringmat Honeycomb

Safety for children's play areas

Durable rubber matting suitable for playgrounds. - Tested to Critical Fall Height of 1.0m (BS EN1177:1998). - Anti-slip surface.
 - Conforms to Slip Resistance Test EN13552 Category R10. - Long life span even in outdoor conditions. - Open holes allow grass growth.
 - Connectors available to link matting for larger areas. - Product Height: 23mm

Sizes	Part Code
0.8m x 1.2m	RM010001
1.0m x 1.5m	RM010002
Connector	RM010004



Stablemat

Safe, cost-effective rubber mats

100% premium quality non-porous rubber mats. - Textured surface for improved grip. - Cushioning underfoot for comfort and safety.
 - Reduces the amount of bedding required. - Provides additional warmth and insulation. - Helps to reduce dust levels for improved health. - Grooved underside for effective drainage. - Product Height: 12mm or 17mm

Sizes	Part Code
1.2m x 1.8m x 17mm	HM010001
1.2m x 1.8m x 12mm	HM010002



PVC Strip Curtains

A range of PVC strips and fittings to create bespoke curtains for any commercial environment.

A range of PVC strips and fittings to create bespoke curtains for any commercial environment.

PVC Strip Curtains are used as internal and external thermal partitions, but can also act as a barrier to fumes, dust, flying insects, birds etc. They can be used to reduce noise levels between production areas and quiet areas, i.e. Quality Control in factories.

Made from a high quality, low toxic, cadmium-free material they have extremely good clarity as well as consistency of colour and dimensional tolerances. "Buffer" type strips are available for extreme conditions where "Standard" material may have a more limited lifespan.



Flexibility - 3 ways to order

- **Complete kits** - Made to measure, priced per m².
- **Rolls** - Full 50m rolls of PVC strips.
- **Strips** - Replacement strips priced per linear metre complete with a fitted hanger.



Ease of Installation

Complete door kits are easy to fit and come with fitting instructions.

When you order strips by the metre hangers are included. You don't have the hassle of attaching them yourself, making repairs both straight forward and cost-effective.



Cost Savings

True ability to order individual replacement strips with fitted hangers means reduced maintenance costs and a reduced risk of damage during fitting.

Order a full door kit specified to your requirements to reduce wastage.



Being water and air tight makes PVC one of the best thermal insulators. Also, due to PVC's low thermal conductivity, strip curtains can help save energy.



Ultra violet light can break down polymer chemical bonds, degrading transparency and performance. Our PVC strip curtains contain UV stabilisers to inhibit polymer degradation by absorbing and dissipating harmful radiators.



Loud working environments can lead to tiredness and the risk of misunderstandings in communication. PVC strip curtains can be used as a sound absorber and noise insulator to protect workers from too much noise.

Material Types



Ref.	Type
1	Standard
2	Polar
3	Buffer
4	Welding
5	Marker



unwrapping safety



www.movingedge.com

Product Categories

Workplace Matting	3 - 19
Rubber Sheeting	20 - 21
ESD Mats & Equipment	22 - 25
Floor Level Safety Accessories	26 - 29
Flooring	30 - 33
Entrance Matting Systems	34 - 41
Entrance Mats	42 - 48
Mats for Leisure	49 - 51

Product

Page

[illegible]

United Kingdom

☎ +44 (0)116 240 1088
✉ sales@cobaeeurope.com
💻 www.cobaeeurope.com

Germany

☎ +49 (2161) 2945-0
✉ verkauf@cobaeeurope.de
💻 www.cobaeeurope.de

Slovakia

☎ +421 41 507 11 12
✉ sales@cobaeeurope.sk
💻 www.cobaeeurope.sk

Poland

☎ +48 (12) 446 92 30
✉ sales@cobaeeurope.pl
💻 www.cobaeeurope.pl

France

☎ +33 (0)645309278
✉ sales@cobaeeurope.fr
💻 www.tapisindustriel.fr

South Africa

☎ +27 (0)11 452 7961
✉ sales@matco.co.za
💻 www.matting.co.za

